Civil Engineering Database Keyword Index

The **Civil Engineering Database (CEDB)** is designed to provide free, easy bibliographic access to all ASCE publications. The database covers ASCE documents published since 1972. It provides access to all the journals, conference proceedings, books, standards, manuals, magazines, and newspapers. The index terms below were assigned to papers published in this journal during 2002 from a CEDB keyword list. The CEDB and keyword list can be accessed on the Web at *http://www.pubs.asce.org/cedbsrch.html*.

Advection
Advection-Dispersion-Reaction Modeling in Water Distribution Networks. —Velitchko G. Tzatchkov, Alvaro A. Aldama, and Felipe I. Arreguin; 128(5), 334-42 (2002).

Algorithms
Enhanced Artificial Neural Network Inflow Forecasting Algorithm for Run-of-River Hydropower Plants. —T. Stokelj, D. Paravan, and R. Golob; 128(6), 415-23 (2002).
Groundwater Remediation Strategy Using Global Optimization Algorithms. —Shreedhar Maskey, Andreja Jonoski, and Dimitri P. Solomatine; 128(6), 431-40 (2002).
Effects of Integrated Planning on Capacity-Yield-Performance Functions. —Majid Montaseri and Adebayo J. Adeloye; 128(6), 456-61 (2002).

Aquifers
Uncertainty Analysis in Contaminated Aquifer Management. — Hugh S. Wong and William W-G. Yeh; 128(1), 33-45 (2002).
Optimal Aquifer Dewatering Schemes for Excavation of Collector Line. —Mehmet Tokgoz, Koray K. Yilmaz, and Hasan Yazicigil; 128(4), 248-61 (2002).

Arizona
Reliability/Availability Analysis of Municipal Water Distribution Networks: Case Studies. —Debbie S. Shinstine, Iftekhar Ahmed, and Kevin E. Lansey; 128(2), 140-51 (2002).
Water Price Influence on Apartment Complex Water Use. —Donald E. Agthe and R. Bruce Billings; 128(5), 366-9 (2002).

Bays
Nutrient and Solids Controls in Virginia's Chesapeake Bay Tributaries. —Carl F. Cerco, Lewis Linker, Jeffrey Sweeney, Gary Shenk, and Arthur J. Butt; 128(3), 179-89 (2002).

Bed loads
Stream Erosion Potential and Stormwater Management Strategies. —Brian P. Bledsoe; 128(6), 451-5 (2002).

Benefit cost ratios
Floodplain Planning with Risk-Based Optimization. — Jay R. Lund; 128(3), 202-7 (2002).

Biological treatment
Efficient Multiscale Methods for Optimal In Situ Bioremediation Design. — Yong Liu and Barbara S. Minsker; 128(3), 227-36 (2002).

Boundaries
Boundary Schematization in Regulatory Mixing Zone Analysis. — Robert L. Doneker and Gerhard H. Jirka; 128(1), 46-56 (2002).

California
Southern California Water Markets: Potential and Limitations. — Brad D. Newlin, Marion W. Jenkins, Jay R. Lund, and Richard E. Howitt; 128(1), 21-32 (2002).
Monterey County Water Recycling Project: Institutional Study. — Brent M. Haddad; 128(4), 280-7 (2002).
Water Quality Operation with a Blending Reservoir and Variable Sources. — J. Elliott Campbell, David A. Briggs, Richard A. Denton, and Gregory Gartrell; 128(4), 288-302 (2002).

Case reports
Reliability/Availability Analysis of Municipal Water Distribution Networks: Case Studies. —Debbie S. Shinstine, Iftekhar Ahmed, and Kevin E. Lansey; 128(2), 140-51 (2002).

Catchments
Uncertainty Analysis of Regional Flow Duration Curves. — Pao-Shan Yu, Tao-Chang Yang, and Yu-Chi Wang; 128(6), 424-30 (2002).

Channel stabilization
Stream Erosion Potential and Stormwater Management Strategies. —Brian P. Bledsoe; 128(6), 451-5 (2002).

Chesapeake Bay
Nutrient and Solids Controls in Virginia's Chesapeake Bay Tributaries. —Carl F. Cerco, Lewis Linker, Jeffrey Sweeney, Gary Shenk, and Arthur J. Butt; 128(3), 179-89 (2002).

Chlorine
Predicting Chlorine Residuals in Drinking Water: Second Order Model. —Robert M. Clark and Mano Sivaganesan; 128(2), 152-61 (2002).

Classification
Hydrologic Regionalization of Watersheds. I: Methodology Development. —Shih-Min Chiang, Ting-Kuei Tsay, and Stephan J. Nix; 128(1), 3-11 (2002).

Climatic changes
Potential Impacts of Global Warming on Groundwater in Eastern Massachusetts. —Paul H. Kirshen; 128(3), 216-26 (2002).
Climate Change and Water Resources in Lebanon and the Middle East. —E. Bou-Zeid and M. El-Fadel; 128(5), 343-55 (2002).

Coastal management
Rapid Assessment of Water Systems based on Internal Consistency. —J. L. de Kok and H. G. Wind; 128(4), 240-7 (2002).

Columbia River
Economic Value of Long-Lead Streamflow Forecasts for Columbia River Hydropower. — Alan F. Hamlet, Daniel Huppert, and Dennis P. Lettenmaier; 128(2), 91-101 (2002).

Constrained differential dynamic programming
Dynamic Optimal Groundwater Management with Inclusion of Fixed Costs. — Chin-Tsai Hsiao and Liang-Cheng Chang; 128(1), 57-65 (2002).

Contaminants
Nutrient and Solids Controls in Virginia's Chesapeake Bay Tributaries. — Carl F. Cerco, Lewis Linker, Jeffrey Sweeney, Gary Shenk, and Arthur J. Butt; 128(3), 179-89 (2002).

Contamination
Uncertainty Analysis in Contaminated Aquifer Management. — Hugh S. Wong and William W-G. Yeh; 128(1), 33-45 (2002).

Cost analysis
Cost-Benefit Analysis of Artificial Recharge in Las Vegas Valley, Nevada. — David J. Donovan, Terry Katzer, Kay Brothers, Erin Cole, and Michael Johnson; 128(5), 356-65 (2002).

Costs
Costs for Water Supply Distribution System Rehabilitation. — Ariamalar Selvakumar, Robert M. Clark, and Mano Sivaganesan; 128(4), 303-6 (2002).
Cost Models for Water Supply Distribution Systems. — Robert M. Clark, Mano Sivaganesan, Ari Selvakumar, and Virendra Sethi; 128(5), 312-21 (2002).
Energy and Costs of Leaky Pipes: Toward Comprehensive Picture. —Andrew F. Colombo and Bryan W. Karney; 128(6), 441-50 (2002).

Data processing
Enhanced Artificial Neural Network Inflow Forecasting Algorithm for Run-of-River Hydropower Plants. —T. Stokelj, D. Paravan, and R. Golob; 128(6), 415-23 (2002).

Decision making
Comparison of Fuzzy and Nonfuzzy Optimal Reservoir Operating Policies. —A. Tilmant, M. Vanclooster, L. Duckstein, and E. Persoons; 128(6), 390-8 (2002).

Decision support systems
Spatial Decision Support System for Integrated River Basin Flood Control. —Kyu-Cheoul Shim, Darrell G. Fontane, and John W. Labadie; 128(3), 190-201 (2002).
Rapid Assessment of Water Systems based on Internal Consistency. —J. L. de Kok and H. G. Wind; 128(4), 240-7 (2002).

Delaware
Optimization of Multiple Freshwater Diversions in Well-Mixed Estuaries. —Michael Piasecki and Brett F. Sanders; 128(1), 74-84 (2002).

Civil Engineering Database Keyword Index

The **Civil Engineering Database (CEDB)** is designed to provide free, easy bibliographic access to all ASCE publications. The database covers ASCE documents published since 1972. It provides access to all the journals, conference proceedings, books, standards, manuals, magazines, and newspapers. The index terms below were assigned to papers published in this journal during 2002 from a CEDB keyword list. The CEDB and keyword list can be accessed on the Web at *http://www.pubs.asce.org/cedbsrch.html*.

Advection
Advection-Dispersion-Reaction Modeling in Water Distribution Networks. —Velitchko G. Tzatchkov, Alvaro A. Aldama, and Felipe I. Arreguin; 128(5), 334-42 (2002).

Algorithms
Enhanced Artificial Neural Network Inflow Forecasting Algorithm for Run-of-River Hydropower Plants. —T. Stokelj, D. Paravan, and R. Golob; 128(6), 415-23 (2002).
Groundwater Remediation Strategy Using Global Optimization Algorithms. —Shreedhar Maskey, Andreja Jonoski, and Dimitri P. Solomatine; 128(6), 431-40 (2002).
Effects of Integrated Planning on Capacity-Yield-Performance Functions. —Majid Montaseri and Adebayo J. Adeloye; 128(6), 456-61 (2002).

Aquifers
Uncertainty Analysis in Contaminated Aquifer Management. — Hugh S. Wong and William W-G. Yeh; 128(1), 33-45 (2002).
Optimal Aquifer Dewatering Schemes for Excavation of Collector Line. —Mehmet Tokgoz, Koray K. Yilmaz, and Hasan Yazicigil; 128(4), 248-61 (2002).

Arizona
Reliability/Availability Analysis of Municipal Water Distribution Networks: Case Studies. —Debbie S. Shinstine, Iftekhar Ahmed, and Kevin E. Lansey; 128(2), 140-51 (2002).
Water Price Influence on Apartment Complex Water Use. —Donald E. Agthe and R. Bruce Billings; 128(5), 366-9 (2002).

Bays
Nutrient and Solids Controls in Virginia's Chesapeake Bay Tributaries. —Carl F. Cerco, Lewis Linker, Jeffrey Sweeney, Gary Shenk, and Arthur J. Butt; 128(3), 179-89 (2002).

Bed loads
Stream Erosion Potential and Stormwater Management Strategies. —Brian P. Bledsoe; 128(6), 451-5 (2002).

Benefit cost ratios
Floodplain Planning with Risk-Based Optimization. — Jay R. Lund; 128(3), 202-7 (2002).

Biological treatment
Efficient Multiscale Methods for Optimal In Situ Bioremediation Design. — Yong Liu and Barbara S. Minsker; 128(3), 227-36 (2002).

Boundaries
Boundary Schematization in Regulatory Mixing Zone Analysis. — Robert L. Doneker and Gerhard H. Jirka; 128(1), 46-56 (2002).

California
Southern California Water Markets: Potential and Limitations. — Brad D. Newlin, Marion W. Jenkins, Jay R. Lund, and Richard E. Howitt; 128(1), 21-32 (2002).
Monterey County Water Recycling Project: Institutional Study. — Brent M. Haddad; 128(4), 280-7 (2002).
Water Quality Operation with a Blending Reservoir and Variable Sources. — J. Elliott Campbell, David A. Briggs, Richard A. Denton, and Gregory Gartrell; 128(4), 288-302 (2002).

Case reports
Reliability/Availability Analysis of Municipal Water Distribution Networks: Case Studies. —Debbie S. Shinstine, Iftekhar Ahmed, and Kevin E. Lansey; 128(2), 140-51 (2002).

Catchments
Uncertainty Analysis of Regional Flow Duration Curves. — Pao-Shan Yu, Tao-Chang Yang, and Yu-Chi Wang; 128(6), 424-30 (2002).

Channel stabilization
Stream Erosion Potential and Stormwater Management Strategies. —Brian P. Bledsoe; 128(6), 451-5 (2002).

Chesapeake Bay
Nutrient and Solids Controls in Virginia's Chesapeake Bay Tributaries. —Carl F. Cerco, Lewis Linker, Jeffrey Sweeney, Gary Shenk, and Arthur J. Butt; 128(3), 179-89 (2002).

Chlorine
Predicting Chlorine Residuals in Drinking Water: Second Order Model. —Robert M. Clark and Mano Sivaganesan; 128(2), 152-61 (2002).

Classification
Hydrologic Regionalization of Watersheds. I: Methodology Development. —Shih-Min Chiang, Ting-Kuei Tsay, and Stephan J. Nix; 128(1), 3-11 (2002).

Climatic changes
Potential Impacts of Global Warming on Groundwater in Eastern Massachusetts. —Paul H. Kirshen; 128(3), 216-26 (2002).
Climate Change and Water Resources in Lebanon and the Middle East. —E. Bou-Zeid and M. El-Fadel; 128(5), 343-55 (2002).

Coastal management
Rapid Assessment of Water Systems based on Internal Consistency. —J. L. de Kok and H. G. Wind; 128(4), 240-7 (2002).

Columbia River
Economic Value of Long-Lead Streamflow Forecasts for Columbia River Hydropower. — Alan F. Hamlet, Daniel Huppert, and Dennis P. Lettenmaier; 128(2), 91-101 (2002).

Constrained differential dynamic programming
Dynamic Optimal Groundwater Management with Inclusion of Fixed Costs. — Chin-Tsai Hsiao and Liang-Cheng Chang; 128(1), 57-65 (2002).

Contaminants
Nutrient and Solids Controls in Virginia's Chesapeake Bay Tributaries. — Carl F. Cerco, Lewis Linker, Jeffrey Sweeney, Gary Shenk, and Arthur J. Butt; 128(3), 179-89 (2002).

Contamination
Uncertainty Analysis in Contaminated Aquifer Management. — Hugh S. Wong and William W-G. Yeh; 128(1), 33-45 (2002).

Cost analysis
Cost-Benefit Analysis of Artificial Recharge in Las Vegas Valley, Nevada. — David J. Donovan, Terry Katzer, Kay Brothers, Erin Cole, and Michael Johnson; 128(5), 356-65 (2002).

Costs
Costs for Water Supply Distribution System Rehabilitation. — Ariamalar Selvakumar, Robert M. Clark, and Mano Sivaganesan; 128(4), 303-6 (2002).
Cost Models for Water Supply Distribution Systems. — Robert M. Clark, Mano Sivaganesan, Ari Selvakumar, and Virendra Sethi; 128(5), 312-21 (2002).
Energy and Costs of Leaky Pipes: Toward Comprehensive Picture. —Andrew F. Colombo and Bryan W. Karney; 128(6), 441-50 (2002).

Data processing
Enhanced Artificial Neural Network Inflow Forecasting Algorithm for Run-of-River Hydropower Plants. —T. Stokelj, D. Paravan, and R. Golob; 128(6), 415-23 (2002).

Decision making
Comparison of Fuzzy and Nonfuzzy Optimal Reservoir Operating Policies. —A. Tilmant, M. Vanclooster, L. Duckstein, and E. Persoons; 128(6), 390-8 (2002).

Decision support systems
Spatial Decision Support System for Integrated River Basin Flood Control. —Kyu-Cheoul Shim, Darrell G. Fontane, and John W. Labadie; 128(3), 190-201 (2002).
Rapid Assessment of Water Systems based on Internal Consistency. —J. L. de Kok and H. G. Wind; 128(4), 240-7 (2002).

Delaware
Optimization of Multiple Freshwater Diversions in Well-Mixed Estuaries. —Michael Piasecki and Brett F. Sanders; 128(1), 74-84 (2002).

Desalination
Multicriteria Siting and Sizing of Desalination Facilities with Geographic Information System. — Mohamed Rami Mahmoud, Hussam Fahmy, and John W. Labadie; 128(2), 113-20 (2002).

Dewatering
Optimal Aquifer Dewatering Schemes for Excavation of Collector Line. — Mehmet Tokgoz, Koray K. Yilmaz, and Hasan Yazicigil; 128(4), 248-61 (2002).

Disinfection
Facility Location Model for Booster Disinfection of Water Supply Networks. — Michael E. Tryby, Dominic L. Boccelli, James G. Uber, and Lewis A. Rossman; 128(5), 322-33 (2002).

Dispersion
Advection-Dispersion-Reaction Modeling in Water Distribution Networks. — Velitchko G. Tzatchkov, Alvaro A. Aldama, and Felipe I. Arreguin; 128(5), 334-42 (2002).

Diversion
Optimization of Multiple Freshwater Diversions in Well-Mixed Estuaries. —Michael Piasecki and Brett F. Sanders; 128(1), 74-84 (2002).

Droughts
Reservoir Design and Operation with Variable Lake Hydrology. —Hugo A. Loáiciga; 128(6), 399-405 (2002).

Economic factors
Southern California Water Markets: Potential and Limitations. — Brad D. Newlin, Marion W. Jenkins, Jay R. Lund, and Richard E. Howitt; 128(1), 21-32 (2002).
Economic Value of Long-Lead Streamflow Forecasts for Columbia River Hydropower. —Alan F. Hamlet, Daniel Huppert, and Dennis P. Lettenmaier; 128(2), 91-101 (2002).

Egypt
Multicriteria Siting and Sizing of Desalination Facilities with Geographic Information System. — Mohamed Rami Mahmoud, Hussam Fahmy, and John W. Labadie; 128(2), 113-20 (2002).

Estuaries
Optimization of Multiple Freshwater Diversions in Well-Mixed Estuaries. —Michael Piasecki and Brett F. Sanders; 128(1), 74-84 (2002).

Evaporation
Reservoir Design and Operation with Variable Lake Hydrology. —Hugo A. Loáiciga; 128(6), 399-405 (2002).
Effects of Integrated Planning on Capacity-Yield-Performance Functions. —Majid Montaseri and Adebayo J. Adeloye; 128(6), 456-61 (2002).

Excavation
Optimal Aquifer Dewatering Schemes for Excavation of Collector Line. —Mehmet Tokgoz, Koray K. Yilmaz, and Hasan Yazicigil; 128(4), 248-61 (2002).
Costs for Water Supply Distribution System Rehabilitation. — Ariamalar Selvakumar, Robert M. Clark, and Mano Sivaganesan; 128(4), 303-6 (2002).

Expert systems
Expert System for Prioritizing the Inspection of Sewers: Knowledge Base Formulation and Evaluation. — Margaret A. Hahn, Richard N. Palmer, M. Steve Merrill, and Andrew B. Lukas; 128(2), 121-9 (2002).

Failure
Threshold Break Rate for Pipeline Replacement in Water Distribution Systems. — G. V. Loganathan, S. Park, and H. D. Sherali; 128(4), 271-9 (2002).

Fixed cost
Dynamic Optimal Groundwater Management with Inclusion of Fixed Costs. — Chin-Tsai Hsiao and Liang-Cheng Chang; 128(1), 57-65 (2002).

Flood control
Spatial Decision Support System for Integrated River Basin Flood Control. — Kyu-Cheoul Shim, Darrell G. Fontane, and John W. Labadie; 128(3), 190-201 (2002).
Floodplain Planning with Risk-Based Optimization. — Jay R. Lund; 128(3), 202-7 (2002).

Flood plain management
Floodplain Planning with Risk-Based Optimization. — Jay R. Lund; 128(3), 202-7 (2002).

Flood plains
Two-Dimensional Modeling of Floods to Map Risk-Prone Areas. —Angelo Leopardi, Elisa Oliveri, and Massimo Greco; 128(3), 168-78 (2002).

Flood routing
Two-Dimensional Modeling of Floods to Map Risk-Prone Areas. —Angelo Leopardi, Elisa Oliveri, and Massimo Greco; 128(3), 168-78 (2002).

Flow duration curves
Uncertainty Analysis of Regional Flow Duration Curves. — Pao-Shan Yu, Tao-Chang Yang, and Yu-Chi Wang; 128(6), 424-30 (2002).

Forecasting
Economic Value of Long-Lead Streamflow Forecasts for Columbia River Hydropower. —Alan F. Hamlet, Daniel Huppert, and Dennis P. Lettenmaier; 128(2), 91-101 (2002).

Fuzzy sets
Comparison of Fuzzy and Nonfuzzy Optimal Reservoir Operating Policies. —A. Tilmant, M. Vanclooster, L. Duckstein, and E. Persoons; 128(6), 390-8 (2002).

Genetic algorithm
Dynamic Optimal Groundwater Management with Inclusion of Fixed Costs. —Chin-Tsai Hsiao and Liang-Cheng Chang; 128(1), 57-65 (2002).

Geographic information systems
Multicriteria Siting and Sizing of Desalination Facilities with Geographic Information System. — Mohamed Rami Mahmoud, Hussam Fahmy, and John W. Labadie; 128(2), 113-20 (2002).

Global warming
Potential Impacts of Global Warming on Groundwater in Eastern Massachusetts. —Paul H. Kirshen; 128(3), 216-26 (2002).

Ground water
Potential Impacts of Global Warming on Groundwater in Eastern Massachusetts. — Paul H. Kirshen; 128(3), 216-26 (2002).
Groundwater Remediation Strategy Using Global Optimization Algorithms. — Shreedhar Maskey, Andreja Jonoski, and Dimitri P. Solomatine; 128(6), 431-40 (2002).

Ground-water management
Uncertainty Analysis in Contaminated Aquifer Management. — Hugh S. Wong and William W-G. Yeh; 128(1), 33-45 (2002).
Dynamic Optimal Groundwater Management with Inclusion of Fixed Costs. — Chin-Tsai Hsiao and Liang-Cheng Chang; 128(1), 57-65 (2002).
Efficient Multiscale Methods for Optimal In Situ Bioremediation Design. — Yong Liu and Barbara S. Minsker; 128(3), 227-36 (2002).
Cost-Benefit Analysis of Artificial Recharge in Las Vegas Valley, Nevada. — David J. Donovan, Terry Katzer, Kay Brothers, Erin Cole, and Michael Johnson; 128(5), 356-65 (2002).
Groundwater Remediation Strategy Using Global Optimization Algorithms. —Shreedhar Maskey, Andreja Jonoski, and Dimitri P. Solomatine; 128(6), 431-40 (2002).

Ground-water recharge
Cost-Benefit Analysis of Artificial Recharge in Las Vegas Valley, Nevada. —David J. Donovan, Terry Katzer, Kay Brothers, Erin Cole, and Michael Johnson; 128(5), 356-65 (2002).

Grouting
Determining Pipe Groupings for Water Distribution Networks. —Keshaw N. Mallick, Iftekhar Ahmed, Kevin S. Tickle, and Kevin E. Lansey; 128(2), 130-9 (2002).

Hydroelectric power
Economic Value of Long-Lead Streamflow Forecasts for Columbia River Hydropower. —Alan F. Hamlet, Daniel Huppert, and Dennis P. Lettenmaier; 128(2), 91-101 (2002).

Hydroelectric powerplants
Enhanced Artificial Neural Network Inflow Forecasting Algorithm for Run-of-River Hydropower Plants. —T. Stokelj, D. Paravan, and R. Golob; 128(6), 415-23 (2002).

Hydrologic properties
Hydrologic Regionalization of Watersheds. II: Applications. — Shih-Min Chiang, Ting-Kuei Tsay, and Stephan J. Nix; 128(1), 12-20 (2002).

Hydrometeorology
Enhanced Artificial Neural Network Inflow Forecasting Algorithm for Run-of-River Hydropower Plants. —T. Stokelj, D. Paravan, and R. Golob; 128(6), 415-23 (2002).

India
Multireservoir Multiyield Model with Allowable Deficit in Annual Yield. —P. D. Dahe and D. K. Srivastava; 128(6), 406-14 (2002).

Indonesia
Rapid Assessment of Water Systems based on Internal Consistency. —J. L. de Kok and H. G. Wind; 128(4), 240-7 (2002).

Inflow
Enhanced Artificial Neural Network Inflow Forecasting Algorithm for Run-of-River Hydropower Plants. — T. Stokelj, D. Paravan, and R. Golob; 128(6), 415-23 (2002).

Inspection
Expert System for Prioritizing the Inspection of Sewers: Knowledge Base Formulation and Evaluation. — Margaret A. Hahn, Richard N. Palmer, M. Steve Merrill, and Andrew B. Lukas; 128(2), 121-9 (2002).

Italy
Two-Dimensional Modeling of Floods to Map Risk-Prone Areas. — Angelo Leopardi, Elisa Oliveri, and Massimo Greco; 128(3), 168-78 (2002).

Korea
Spatial Decision Support System for Integrated River Basin Flood Control. — Kyu-Cheoul Shim, Darrell G. Fontane, and John W. Labadie; 128(3), 190-201 (2002).

Land usage
Stream Erosion Potential and Stormwater Management Strategies. — Brian P. Bledsoe; 128(6), 451-5 (2002).

Leaching
Case Study of Impact of Total Maximum Daily Load Allocations on Nitrate Leaching. — Teresa B. Culver, Troy R. Naperala, Andrew L. Potts, Harry X. Zhang, Kathryn A. Neeley, and Shaw L. Yu; 128(4), 262-70 (2002).

Leakage
Energy and Costs of Leaky Pipes: Toward Comprehensive Picture. — Andrew F. Colombo and Bryan W. Karney; 128(6), 441-50 (2002).

Lebanon
Climate Change and Water Resources in Lebanon and the Middle East. — E. Bou-Zeid and M. El-Fadel; 128(5), 343-55 (2002).

Linear programming
Floodplain Planning with Risk-Based Optimization. — Jay R. Lund; 128(3), 202-7 (2002).
Reservoir Design and Operation with Variable Lake Hydrology. — Hugo A. Loáiciga; 128(6), 399-405 (2002).

Location
Facility Location Model for Booster Disinfection of Water Supply Networks. — Michael E. Tryby, Dominic L. Boccelli, James G. Uber, and Lewis A. Rossman; 128(5), 322-33 (2002).

Massachusetts
Potential Impacts of Global Warming on Groundwater in Eastern Massachusetts. — Paul H. Kirshen; 128(3), 216-26 (2002).

Mathematical models
Determining Pipe Groupings for Water Distribution Networks. — Keshaw N. Mallick, Iftekhar Ahmed, Kevin S. Tickle, and Kevin E. Lansey; 128(2), 130-9 (2002).
Predicting Chlorine Residuals in Drinking Water: Second Order Model. — Robert M. Clark and Mano Sivaganesan; 128(2), 152-61 (2002).
Facility Location Model for Booster Disinfection of Water Supply Networks. — Michael E. Tryby, Dominic L. Boccelli, James G. Uber, and Lewis A. Rossman; 128(5), 322-33 (2002).

Methodology
Hydrologic Regionalization of Watersheds. I: Methodology Development. — Shih-Min Chiang, Ting-Kuei Tsay, and Stephan J. Nix; 128(1), 3-11 (2002).

Middle East
Climate Change and Water Resources in Lebanon and the Middle East. — E. Bou-Zeid and M. El-Fadel; 128(5), 343-55 (2002).

Models
Advection-Dispersion-Reaction Modeling in Water Distribution Networks. — Velitchko G. Tzatchkov, Alvaro A. Aldama, and Felipe I. Arreguin; 128(5), 334-42 (2002).
Multireservoir Multiyield Model with Allowable Deficit in Annual Yield. — P. D. Dahe and D. K. Srivastava; 128(6), 406-14 (2002).

Multiple objective analysis
Multicriteria Siting and Sizing of Desalination Facilities with Geographic Information System. — Mohamed Rami Mahmoud, Hussam Fahmy, and John W. Labadie; 128(2), 113-20 (2002).

Municipal water
Reliability/Availability Analysis of Municipal Water Distribution Networks: Case Studies. — Debbie S. Shinstine, Iftekhar Ahmed, and Kevin E. Lansey; 128(2), 140-51 (2002).

Networks
Network Flow Optimization Model for Basin-Scale Water Supply Planning. — Nien-Sheng Hsu and Ker-Wei Cheng; 128(2), 102-12 (2002).
Advection-Dispersion-Reaction Modeling in Water Distribution Networks. — Velitchko G. Tzatchkov, Alvaro A. Aldama, and Felipe I. Arreguin; 128(5), 334-42 (2002).

Neural networks
Contribution of Neural Networks for Modeling Trihalomethanes Occurrence in Drinking Water. — Julie Milot, Manuel J. Rodriguez, and Jean B. Sérodes; 128(5), 370-6 (2002).
Enhanced Artificial Neural Network Inflow Forecasting Algorithm for Run-of-River Hydropower Plants. — T. Stokelj, D. Paravan, and R. Golob; 128(6), 415-23 (2002).

Nevada
Cost-Benefit Analysis of Artificial Recharge in Las Vegas Valley, Nevada. — David J. Donovan, Terry Katzer, Kay Brothers, Erin Cole, and Michael Johnson; 128(5), 356-65 (2002).

Nitrates
Case Study of Impact of Total Maximum Daily Load Allocations on Nitrate Leaching. — Teresa B. Culver, Troy R. Naperala, Andrew L. Potts, Harry X. Zhang, Kathryn A. Neeley, and Shaw L. Yu; 128(4), 262-70 (2002).

Nutrients
Nutrient and Solids Controls in Virginia's Chesapeake Bay Tributaries. — Carl F. Cerco, Lewis Linker, Jeffrey Sweeney, Gary Shenk, and Arthur J. Butt; 128(3), 179-89 (2002).

Optimization
Southern California Water Markets: Potential and Limitations. — Brad D. Newlin, Marion W. Jenkins, Jay R. Lund, and Richard E. Howitt; 128(1), 21-32 (2002).
Optimization of Multiple Freshwater Diversions in Well-Mixed Estuaries. — Michael Piasecki and Brett F. Sanders; 128(1), 74-84 (2002).
Floodplain Planning with Risk-Based Optimization. — Jay R. Lund; 128(3), 202-7 (2002).
Efficient Multiscale Methods for Optimal In Situ Bioremediation Design. — Yong Liu and Barbara S. Minsker; 128(3), 227-36 (2002).
Optimal Aquifer Dewatering Schemes for Excavation of Collector Line. — Mehmet Tokgoz, Koray K. Yilmaz, and Hasan Yazicigil; 128(4), 248-61 (2002).
Water Quality Operation with a Blending Reservoir and Variable Sources. — J. Elliott Campbell, David A. Briggs, Richard A. Denton, and Gregory Gartrell; 128(4), 288-302 (2002).
Facility Location Model for Booster Disinfection of Water Supply Networks. — Michael E. Tryby, Dominic L. Boccelli, James G. Uber, and Lewis A. Rossman; 128(5), 322-33 (2002).
Comparison of Fuzzy and Nonfuzzy Optimal Reservoir Operating Policies. — A. Tilmant, M. Vanclooster, L. Duckstein, and E. Persoons; 128(6), 390-8 (2002).
Reservoir Design and Operation with Variable Lake Hydrology. — Hugo A. Loáiciga; 128(6), 399-405 (2002).

Optimization models
Network Flow Optimization Model for Basin-Scale Water Supply Planning. — Nien-Sheng Hsu and Ker-Wei Cheng; 128(2), 102-12 (2002).
Multicriteria Siting and Sizing of Desalination Facilities with Geographic Information System. — Mohamed Rami Mahmoud, Hussam Fahmy, and John W. Labadie; 128(2), 113-20 (2002).

Pipes
Determining Pipe Groupings for Water Distribution Networks. — Keshaw N. Mallick, Iftekhar Ahmed, Kevin S. Tickle, and Kevin E. Lansey; 128(2), 130-9 (2002).
Costs for Water Supply Distribution System Rehabilitation. — Ariamalar Selvakumar, Robert M. Clark, and Mano Sivaganesan; 128(4), 303-6 (2002).
Cost Models for Water Supply Distribution Systems. — Robert M. Clark, Mano Sivaganesan, Ari Selvakumar, and Virendra Sethi; 128(5), 312-21 (2002).

Planning
Effects of Integrated Planning on Capacity-Yield-Performance Functions. — Majid Montaseri and Adebayo J. Adeloye; 128(6), 456-61 (2002).

Potable water
Predicting Chlorine Residuals in Drinking Water: Second Order Model. — Robert M. Clark and Mano Sivaganesan; 128(2), 152-61 (2002).
Contribution of Neural Networks for Modeling Trihalomethanes Occurrence in Drinking Water. — Julie Milot, Manuel J. Rodriguez, and Jean B. Sérodes; 128(5), 370-6 (2002).

Prediction
Predicting Chlorine Residuals in Drinking Water: Second Order Model. — Robert M. Clark and Mano Sivaganesan; 128(2), 152-61 (2002).

Pricing
Water Price Influence on Apartment Complex Water Use. — Donald E. Agthe and R. Bruce Billings; 128(5), 366-9 (2002).

Regional analysis
Hydrologic Regionalization of Watersheds. I: Methodology Development. — Shih-Min Chiang, Ting-Kuei Tsay, and Stephan J. Nix; 128(1), 3-11 (2002).

Regression models
Hydrologic Regionalization of Watersheds. II: Applications. — Shih-Min Chiang, Ting-Kuei Tsay, and Stephan J. Nix; 128(1), 12-20 (2002).
Cost Models for Water Supply Distribution Systems. — Robert M. Clark, Mano Sivaganesan, Ari Selvakumar, and Virendra Sethi; 128(5), 312-21 (2002).

Rehabilitation
Threshold Break Rate for Pipeline Replacement in Water Distribution Systems. — G. V. Loganathan, S. Park, and H. D. Sherali; 128(4), 271-9 (2002).
Costs for Water Supply Distribution System Rehabilitation. — Ariamalar Selvakumar, Robert M. Clark, and Mano Sivaganesan; 128(4), 303-6 (2002).
Cost Models for Water Supply Distribution Systems. — Robert M. Clark, Mano Sivaganesan, Ari Selvakumar, and Virendra Sethi; 128(5), 312-21 (2002).

Reliability
Multireservoir Multiyield Model with Allowable Deficit in Annual Yield. —P. D. Dahe and D. K. Srivastava; 128(6), 406-14 (2002).

Reliability analysis
Reliability/Availability Analysis of Municipal Water Distribution Networks: Case Studies. —Debbie S. Shinstine, Iftekhar Ahmed, and Kevin E. Lansey; 128(2), 140-51 (2002).

Remedial action
Efficient Multiscale Methods for Optimal In Situ Bioremediation Design. —Yong Liu and Barbara S. Minsker; 128(3), 227-36 (2002).
Groundwater Remediation Strategy Using Global Optimization Algorithms. —Shreedhar Maskey, Andreja Jonoski, and Dimitri P. Solomatine; 128(6), 431-40 (2002).

Replacement
Threshold Break Rate for Pipeline Replacement in Water Distribution Systems. —G. V. Loganathan, S. Park, and H. D. Sherali; 128(4), 271-9 (2002).
Costs for Water Supply Distribution System Rehabilitation. — Ariamalar Selvakumar, Robert M. Clark, and Mano Sivaganesan; 128(4), 303-6 (2002).

Reservoir design
Reservoir Design and Operation with Variable Lake Hydrology. —Hugo A. Loáiciga; 128(6), 399-405 (2002).

Reservoir operation
Comparison of Fuzzy and Nonfuzzy Optimal Reservoir Operating Policies. —A. Tilmant, M. Vanclooster, L. Duckstein, and E. Persoons; 128(6), 390-8 (2002).
Reservoir Design and Operation with Variable Lake Hydrology. —Hugo A. Loáiciga; 128(6), 399-405 (2002).

Reservoir storage
Network Flow Optimization Model for Basin-Scale Water Supply Planning. — Nien-Sheng Hsu and Ker-Wei Cheng; 128(2), 102-12 (2002).

Reservoirs
Water Quality Operation with a Blending Reservoir and Variable Sources. — J. Elliott Campbell, David A. Briggs, Richard A. Denton, and Gregory Gartrell; 128(4), 288-302 (2002).
Multireservoir Multiyield Model with Allowable Deficit in Annual Yield. — P. D. Dahe and D. K. Srivastava; 128(6), 406-14 (2002).
Effects of Integrated Planning on Capacity-Yield-Performance Functions. — Majid Montaseri and Adebayo J. Adeloye; 128(6), 456-61 (2002).

Retention
Runoff Capture and Delivery Curves for Storm-Water Quality Control Designs. — James C. Y. Guo and Ben Urbonas; 128(3), 208-15 (2002).

Risk
Floodplain Planning with Risk-Based Optimization. — Jay R. Lund; 128(3), 202-7 (2002).

Risk management
Uncertainty Analysis in Contaminated Aquifer Management. — Hugh S. Wong and William W-G. Yeh; 128(1), 33-45 (2002).

River basins
Spatial Decision Support System for Integrated River Basin Flood Control. —Kyu-Cheoul Shim, Darrell G. Fontane, and John W. Labadie; 128(3), 190-201 (2002).

Runoff
Runoff Capture and Delivery Curves for Storm-Water Quality Control Designs. —James C. Y. Guo and Ben Urbonas; 128(3), 208-15 (2002).

Salinity
Water Quality Operation with a Blending Reservoir and Variable Sources. —J. Elliott Campbell, David A. Briggs, Richard A. Denton, and Gregory Gartrell; 128(4), 288-302 (2002).

Salt water-fresh water interfaces
Optimization of Multiple Freshwater Diversions in Well-Mixed Estuaries. —Michael Piasecki and Brett F. Sanders; 128(1), 74-84 (2002).

Seasonal variation
Water Price Influence on Apartment Complex Water Use. —Donald E. Agthe and R. Bruce Billings; 128(5), 366-9 (2002).

Sedimentation
Stream Erosion Potential and Stormwater Management Strategies. —Brian P. Bledsoe; 128(6), 451-5 (2002).

Sewers
Expert System for Prioritizing the Inspection of Sewers: Knowledge Base Formulation and Evaluation. — Margaret A. Hahn, Richard N. Palmer, M. Steve Merrill, and Andrew B. Lukas; 128(2), 121-9 (2002).

Solids
Nutrient and Solids Controls in Virginia's Chesapeake Bay Tributaries. —Carl F. Cerco, Lewis Linker, Jeffrey Sweeney, Gary Shenk, and Arthur J. Butt; 128(3), 179-89 (2002).

Stochastic processes
Comparison of Fuzzy and Nonfuzzy Optimal Reservoir Operating Policies. — A. Tilmant, M. Vanclooster, L. Duckstein, and E. Persoons; 128(6), 390-8 (2002).

Stormwater
Runoff Capture and Delivery Curves for Storm-Water Quality Control Designs. — James C. Y. Guo and Ben Urbonas; 128(3), 208-15 (2002).

Stormwater management
Stream Erosion Potential and Stormwater Management Strategies. — Brian P. Bledsoe; 128(6), 451-5 (2002).

Stream erosion
Stream Erosion Potential and Stormwater Management Strategies. — Brian P. Bledsoe; 128(6), 451-5 (2002).

Streamflow
Hydrologic Regionalization of Watersheds. II: Applications. — Shih-Min Chiang, Ting-Kuei Tsay, and Stephan J. Nix; 128(1), 12-20 (2002).
Economic Value of Long-Lead Streamflow Forecasts for Columbia River Hydropower. —Alan F. Hamlet, Daniel Huppert, and Dennis P. Lettenmaier; 128(2), 91-101 (2002).
Reservoir Design and Operation with Variable Lake Hydrology. —Hugo A. Loáiciga; 128(6), 399-405 (2002).

Surface waters
Potential Impacts of Global Warming on Groundwater in Eastern Massachusetts. —Paul H. Kirshen; 128(3), 216-26 (2002).

Taiwan
Uncertainty Analysis of Regional Flow Duration Curves. — Pao-Shan Yu, Tao-Chang Yang, and Yu-Chi Wang; 128(6), 424-30 (2002).

Trenching
Costs for Water Supply Distribution System Rehabilitation. — Ariamalar Selvakumar, Robert M. Clark, and Mano Sivaganesan; 128(4), 303-6 (2002).

Trihalomethanes
Contribution of Neural Networks for Modeling Trihalomethanes Occurrence in Drinking Water. — Julie Milot, Manuel J. Rodriguez, and Jean B. Sérodes; 128(5), 370-6 (2002).

Two-dimensional models
Two-Dimensional Modeling of Floods to Map Risk-Prone Areas. —Angelo Leopardi, Elisa Oliveri, and Massimo Greco; 128(3), 168-78 (2002).

Uncertainty analysis
Uncertainty Analysis in Contaminated Aquifer Management. — Hugh S. Wong and William W-G. Yeh; 128(1), 33-45 (2002).
Uncertainty Analysis of Regional Flow Duration Curves. — Pao-Shan Yu, Tao-Chang Yang, and Yu-Chi Wang; 128(6), 424-30 (2002).

Virginia
Nutrient and Solids Controls in Virginia's Chesapeake Bay Tributaries. —Carl F. Cerco, Lewis Linker, Jeffrey Sweeney, Gary Shenk, and Arthur J. Butt; 128(3), 179-89 (2002).

Wastewater
Boundary Schematization in Regulatory Mixing Zone Analysis. —Robert L. Doneker and Gerhard H. Jirka; 128(1), 46-56 (2002).

Monterey County Water Recycling Project: Institutional Study. — Brent M. Haddad; 128(4), 280-7 (2002).

Water balance

Climate Change and Water Resources in Lebanon and the Middle East. — E. Bou-Zeid and M. El-Fadel; 128(5), 343-55 (2002).

Water circulation

Climate Change and Water Resources in Lebanon and the Middle East. — E. Bou-Zeid and M. El-Fadel; 128(5), 343-55 (2002).

Water demand

Water Price Influence on Apartment Complex Water Use. — Donald E. Agthe and R. Bruce Billings; 128(5), 366-9 (2002).

Water distribution

Determining Pipe Groupings for Water Distribution Networks. — Keshaw N. Mallick, Iftekhar Ahmed, Kevin S. Tickle, and Kevin E. Lansey; 128(2), 130-9 (2002).

Reliability/Availability Analysis of Municipal Water Distribution Networks: Case Studies. — Debbie S. Shinstine, Iftekhar Ahmed, and Kevin E. Lansey; 128(2), 140-51 (2002).

Threshold Break Rate for Pipeline Replacement in Water Distribution Systems. — G. V. Loganathan, S. Park, and H. D. Sherali; 128(4), 271-9 (2002).

Costs for Water Supply Distribution System Rehabilitation. — Ariamalar Selvakumar, Robert M. Clark, and Mano Sivaganesan; 128(4), 303-6 (2002).

Cost Models for Water Supply Distribution Systems. — Robert M. Clark, Mano Sivaganesan, Ari Selvakumar, and Virendra Sethi; 128(5), 312-21 (2002).

Facility Location Model for Booster Disinfection of Water Supply Networks. — Michael E. Tryby, Dominic L. Boccelli, James G. Uber, and Lewis A. Rossman; 128(5), 322-33 (2002).

Advection-Dispersion-Reaction Modeling in Water Distribution Networks. — Velitchko G. Tzatchkov, Alvaro A. Aldama, and Felipe I. Arreguin; 128(5), 334-42 (2002).

Water management

Rapid Assessment of Water Systems based on Internal Consistency. — J. L. de Kok and H. G. Wind; 128(4), 240-7 (2002).

Enhanced Artificial Neural Network Inflow Forecasting Algorithm for Run-of-River Hydropower Plants. — T. Stokelj, D. Paravan, and R. Golob; 128(6), 415-23 (2002).

Water pipelines

Threshold Break Rate for Pipeline Replacement in Water Distribution Systems. — G. V. Loganathan, S. Park, and H. D. Sherali; 128(4), 271-9 (2002).

Water pipes

Energy and Costs of Leaky Pipes: Toward Comprehensive Picture. — Andrew F. Colombo and Bryan W. Karney; 128(6), 441-50 (2002).

Water quality

Boundary Schematization in Regulatory Mixing Zone Analysis. — Robert L. Doneker and Gerhard H. Jirka; 128(1), 46-56 (2002).

Runoff Capture and Delivery Curves for Storm-Water Quality Control Designs. — James C. Y. Guo and Ben Urbonas; 128(3), 208-15 (2002).

Water Quality Operation with a Blending Reservoir and Variable Sources. — J. Elliott Campbell, David A. Briggs, Richard A. Denton, and Gregory Gartrell; 128(4), 288-302 (2002).

Facility Location Model for Booster Disinfection of Water Supply Networks. — Michael E. Tryby, Dominic L. Boccelli, James G. Uber, and Lewis A. Rossman; 128(5), 322-33 (2002).

Advection-Dispersion-Reaction Modeling in Water Distribution Networks. — Velitchko G. Tzatchkov, Alvaro A. Aldama, and Felipe I. Arreguin; 128(5), 334-42 (2002).

Contribution of Neural Networks for Modeling Trihalomethanes Occurrence in Drinking Water. — Julie Milot, Manuel J. Rodriguez, and Jean B. Sérodes; 128(5), 370-6 (2002).

Water reclamation

Monterey County Water Recycling Project: Institutional Study. — Brent M. Haddad; 128(4), 280-7 (2002).

Water resources

Water Quality Operation with a Blending Reservoir and Variable Sources. — J. Elliott Campbell, David A. Briggs, Richard A. Denton, and Gregory Gartrell; 128(4), 288-302 (2002).

Climate Change and Water Resources in Lebanon and the Middle East. — E. Bou-Zeid and M. El-Fadel; 128(5), 343-55 (2002).

Water resources management

Network Flow Optimization Model for Basin-Scale Water Supply Planning. — Nien-Sheng Hsu and Ker-Wei Cheng; 128(2), 102-12 (2002).

Water supply

Southern California Water Markets: Potential and Limitations. — Brad D. Newlin, Marion W. Jenkins, Jay R. Lund, and Richard E. Howitt; 128(1), 21-32 (2002).

Network Flow Optimization Model for Basin-Scale Water Supply Planning. — Nien-Sheng Hsu and Ker-Wei Cheng; 128(2), 102-12 (2002).

Cost Models for Water Supply Distribution Systems. — Robert M. Clark, Mano Sivaganesan, Ari Selvakumar, and Virendra Sethi; 128(5), 312-21 (2002).

Water use

Southern California Water Markets: Potential and Limitations. — Brad D. Newlin, Marion W. Jenkins, Jay R. Lund, and Richard E. Howitt; 128(1), 21-32 (2002).

Water yield

Multireservoir Multiyield Model with Allowable Deficit in Annual Yield. — P. D. Dahe and D. K. Srivastava; 128(6), 406-14 (2002).

Watershed management

Case Study of Impact of Total Maximum Daily Load Allocations on Nitrate Leaching. — Teresa B. Culver, Troy R. Naperala, Andrew L. Potts, Harry X. Zhang, Kathryn A. Neeley, and Shaw L. Yu; 128(4), 262-70 (2002).

Watersheds

Hydrologic Regionalization of Watersheds. I: Methodology Development. — Shih-Min Chiang, Ting-Kuei Tsay, and Stephan J. Nix; 128(1), 3-11 (2002).

Hydrologic Regionalization of Watersheds. II: Applications. — Shih-Min Chiang, Ting-Kuei Tsay, and Stephan J. Nix; 128(1), 12-20 (2002).

Author Index

Adams, Thomas E., III
Data and Modeling: The Future of Water Resources Planning and Management. —Thomas E. Adams, III; 128(1), 1-2 (2002).

Adeloye, Adebayo J.
Effects of Integrated Planning on Capacity-Yield-Performance Functions. —Majid Montaseri and Adebayo J. Adeloye; 128(6), 456-61 (2002).

Agthe, Donald E.
Water Price Influence on Apartment Complex Water Use. —Donald E. Agthe and R. Bruce Billings; 128(5), 366-9 (2002).

Ahmed, Iftekhar
Determining Pipe Groupings for Water Distribution Networks. —Keshaw N. Mallick, Iftekhar Ahmed, Kevin S. Tickle, and Kevin E. Lansey; 128(2), 130-9 (2002).
Reliability/Availability Analysis of Municipal Water Distribution Networks: Case Studies. —Debbie S. Shinstine, Iftekhar Ahmed, and Kevin E. Lansey; 128(2), 140-51 (2002).

Aldama, Alvaro A.
Advection-Dispersion-Reaction Modeling in Water Distribution Networks. —Velitchko G. Tzatchkov, Alvaro A. Aldama, and Felipe I. Arreguin; 128(5), 334-42 (2002).

Anmala, J.
Closure to "Comparison of ANNs and Empirical Approaches for Predicting Watershed Runoff" by Jagadeesh Anmala, Bin Zhang, and Rao S. Govindaraju. — J. Anmala, B. Zhang, and R. S. Govindaraju; 128(5), 381-2 (2002).

Arora, Geeta
Discussion of "Optimal Operation of Water Distribution Pumps Considering Water Quality" by A. Burcu Altan Sakarya and Larry W. Mays. —M. L. Kansal and Geeta Arora; 128(4), 307 (2002).

Arreguin, Felipe I.
Advection-Dispersion-Reaction Modeling in Water Distribution Networks. —Velitchko G. Tzatchkov, Alvaro A. Aldama, and Felipe I. Arreguin; 128(5), 334-42 (2002).

Asmal, Kader
Parting the Waters. —Kader Asmal; 128(2), 87-90 (2002).

Beering, Peter S.
Threats on Tap: Understanding the Terrorist Threat to Water. —Peter S. Beering; 128(3), 163-7 (2002).

Bhaduri, Budhendra
Closure to "Long-Term Hydrologic Impact of Urbanization: A Tale of Two Models" by Budhendra Bhaduri, Marie Minner, Susan Tatalovich, and Jon Harbor. —Budhendra Bhaduri, Marie Minner, Susan Tatalovich Coyle, and Jon Harbor; 128(6), 463-4 (2002).

Billings, R. Bruce
Water Price Influence on Apartment Complex Water Use. — Donald E. Agthe and R. Bruce Billings; 128(5), 366-9 (2002).

Bledsoe, Brian P.
Stream Erosion Potential and Stormwater Management Strategies. — Brian P. Bledsoe; 128(6), 451-5 (2002).

Boccelli, Dominic L.
Facility Location Model for Booster Disinfection of Water Supply Networks. — Michael E. Tryby, Dominic L. Boccelli, James G. Uber, and Lewis A. Rossman; 128(5), 322-33 (2002).

Bou-Zeid, E.
Climate Change and Water Resources in Lebanon and the Middle East. — E. Bou-Zeid and M. El-Fadel; 128(5), 343-55 (2002).

Briggs, David A.
Water Quality Operation with a Blending Reservoir and Variable Sources. — J. Elliott Campbell, David A. Briggs, Richard A. Denton, and Gregory Gartrell; 128(4), 288-302 (2002).

Brothers, Kay
Cost-Benefit Analysis of Artificial Recharge in Las Vegas Valley, Nevada. —David J. Donovan, Terry Katzer, Kay Brothers, Erin Cole, and Michael Johnson; 128(5), 356-65 (2002).

Brunone, Bruno
Closure to "Velocity Profiles and Unsteady Pipe Friction in Transient Flow," by Bruno Brunone, Bryan W. Karney, Michele Mecarelli, and Marco Ferrante July/August 2000, Vol. 126, No. 4, pp. 236–244. —Bruno Brunone, Bryan W. Karney, Michele Mecarelli, and Marco Ferrante; 128(1), 86 (2002).

Butt, Arthur J.
Nutrient and Solids Controls in Virginia's Chesapeake Bay Tributaries. —Carl F. Cerco, Lewis Linker, Jeffrey Sweeney, Gary Shenk, and Arthur J. Butt; 128(3), 179-89 (2002).

Campbell, J. Elliott
Water Quality Operation with a Blending Reservoir and Variable Sources. —J. Elliott Campbell, David A. Briggs, Richard A. Denton, and Gregory Gartrell; 128(4), 288-302 (2002).

Cerco, Carl F.
Nutrient and Solids Controls in Virginia's Chesapeake Bay Tributaries. —Carl F. Cerco, Lewis Linker, Jeffrey Sweeney, Gary Shenk, and Arthur J. Butt; 128(3), 179-89 (2002).

Chang, Liang-Cheng
Dynamic Optimal Groundwater Management with Inclusion of Fixed Costs. —Chin-Tsai Hsiao and Liang-Cheng Chang; 128(1), 57-65 (2002).

Cheng, Ker-Wei
Network Flow Optimization Model for Basin-Scale Water Supply Planning. —Nien-Sheng Hsu and Ker-Wei Cheng; 128(2), 102-12 (2002).

Chiang, Shih-Min
Hydrologic Regionalization of Watersheds. I: Methodology Development. — Shih-Min Chiang, Ting-Kuei Tsay, and Stephan J. Nix; 128(1), 3-11 (2002).
Hydrologic Regionalization of Watersheds. II: Applications. — Shih-Min Chiang, Ting-Kuei Tsay, and Stephan J. Nix; 128(1), 12-20 (2002).

Chung, Francis
Averting a California Water Crisis. — Francis Chung, Katherine Kelly, and Kamyar Guivetchi; 128(4), 237-9 (2002).

Clark, Robert M.
Predicting Chlorine Residuals in Drinking Water: Second Order Model. — Robert M. Clark and Mano Sivaganesan; 128(2), 152-61 (2002).
Costs for Water Supply Distribution System Rehabilitation. — Ariamalar Selvakumar, Robert M. Clark, and Mano Sivaganesan; 128(4), 303-6 (2002).
Cost Models for Water Supply Distribution Systems. — Robert M. Clark, Mano Sivaganesan, Ari Selvakumar, and Virendra Sethi; 128(5), 312-21 (2002).

Cole, Erin
Cost-Benefit Analysis of Artificial Recharge in Las Vegas Valley, Nevada. —David J. Donovan, Terry Katzer, Kay Brothers, Erin Cole, and Michael Johnson; 128(5), 356-65 (2002).

Colombo, Andrew F.
Energy and Costs of Leaky Pipes: Toward Comprehensive Picture. —Andrew F. Colombo and Bryan W. Karney; 128(6), 441-50 (2002).

Culver, Teresa B.
Case Study of Impact of Total Maximum Daily Load Allocations on Nitrate Leaching. —Teresa B. Culver, Troy R. Naperala, Andrew L. Potts, Harry X. Zhang, Kathryn A. Neeley, and Shaw L. Yu; 128(4), 262-70 (2002).

Dahe, P. D.
Multireservoir Multiyield Model with Allowable Deficit in Annual Yield. —P. D. Dahe and D. K. Srivastava; 128(6), 406-14 (2002).

de Kok, J. L.
Rapid Assessment of Water Systems based on Internal Consistency. —J. L. de Kok and H. G. Wind; 128(4), 240-7 (2002).

Denton, Richard A.
Water Quality Operation with a Blending Reservoir and Variable Sources. —J. Elliott Campbell, David A. Briggs, Richard A. Denton, and Gregory Gartrell; 128(4), 288-302 (2002).

Doneker, Robert L.
Boundary Schematization in Regulatory Mixing Zone Analysis. —Robert L. Doneker and Gerhard H. Jirka; 128(1), 46-56 (2002).

Donovan, David J.
Cost-Benefit Analysis of Artificial Recharge in Las Vegas Valley, Nevada. — David J. Donovan, Terry Katzer, Kay Brothers, Erin Cole, and Michael Johnson; 128(5), 356-65 (2002).

Dubrovin, Tanja
Fuzzy Model for Real-Time Reservoir Operation. — Tanja Dubrovin, Ari Jolma, and Esko Turunen; 128(1), 66-73 (2002).

Duckstein, L.
Comparison of Fuzzy and Nonfuzzy Optimal Reservoir Operating Policies. — A. Tilmant, M. Vanclooster, L. Duckstein, and E. Persoons; 128(6), 390-8 (2002).

El-Fadel, M.
Climate Change and Water Resources in Lebanon and the Middle East. — E. Bou-Zeid and M. El-Fadel; 128(5), 343-55 (2002).

Fahmy, Hussam
Multicriteria Siting and Sizing of Desalination Facilities with Geographic Information System. — Mohamed Rami Mahmoud, Hussam Fahmy, and John W. Labadie; 128(2), 113-20 (2002).

Ferrante, Marco
Closure to "Velocity Profiles and Unsteady Pipe Friction in Transient Flow," by Bruno Brunone, Bryan W. Karney, Michele Mecarelli, and Marco Ferrante July/August 2000, Vol. 126, No. 4, pp. 236–244. —Bruno Brunone, Bryan W. Karney, Michele Mecarelli, and Marco Ferrante; 128(1), 86 (2002).

Fontane, Darrell G.
Spatial Decision Support System for Integrated River Basin Flood Control. —Kyu-Cheoul Shim, Darrell G. Fontane, and John W. Labadie; 128(3), 190-201 (2002).

Gartrell, Gregory
Water Quality Operation with a Blending Reservoir and Variable Sources. —J. Elliott Campbell, David A. Briggs, Richard A. Denton, and Gregory Gartrell; 128(4), 288-302 (2002).

Golob, R.
Enhanced Artificial Neural Network Inflow Forecasting Algorithm for Run-of-River Hydropower Plants. —T. Stokelj, D. Paravan, and R. Golob; 128(6), 415-23 (2002).

Govindaraju, R. S.
Closure to "Comparison of ANNs and Empirical Approaches for Predicting Watershed Runoff" by Jagadeesh Anmala, Bin Zhang, and Rao S. Govindaraju. — J. Anmala, B. Zhang, and R. S. Govindaraju; 128(5), 381-2 (2002).

Greco, Massimo
Two-Dimensional Modeling of Floods to Map Risk-Prone Areas. —Angelo Leopardi, Elisa Oliveri, and Massimo Greco; 128(3), 168-78 (2002).

Grigg, Neil
Review of *Water boundaries: Demystifying land boundaries adjacent to tidal or navigable waters* by Bruce S. Flushman. —Neil Grigg; 128(6), 465 (2002).

Guivetchi, Kamyar
Averting a California Water Crisis. —Francis Chung, Katherine Kelly, and Kamyar Guivetchi; 128(4), 237-9 (2002).

Guo, James C. Y.
Runoff Capture and Delivery Curves for Storm-Water Quality Control Designs. — James C. Y. Guo and Ben Urbonas; 128(3), 208-15 (2002).

Haddad, Brent M.
Monterey County Water Recycling Project: Institutional Study. — Brent M. Haddad; 128(4), 280-7 (2002).

Hahn, Margaret A.
Expert System for Prioritizing the Inspection of Sewers: Knowledge Base Formulation and Evaluation. — Margaret A. Hahn, Richard N. Palmer, M. Steve Merrill, and Andrew B. Lukas; 128(2), 121-9 (2002).

Haimes, Yacov Y.
Strategic Responses to Risks of Terrorism to Water Resources. — Yacov Y. Haimes; 128(6), 383-9 (2002).

Hamlet, Alan F.
Economic Value of Long-Lead Streamflow Forecasts for Columbia River Hydropower. — Alan F. Hamlet, Daniel Huppert, and Dennis P. Lettenmaier; 128(2), 91-101 (2002).

Harbor, Jon
Closure to "Long-Term Hydrologic Impact of Urbanization: A Tale of Two Models" by Budhendra Bhaduri, Marie Minner, Susan Tatalovich, and Jon Harbor. —Budhendra Bhaduri, Marie Minner, Susan Tatalovich Coyle, and Jon Harbor; 128(6), 463-4 (2002).

Hawkins, Richard H.
Discussion of "Long-Term Hydrologic Impact of Urbanization: A Tale of Two Models" by Budhendra Bhaduri, Marie Minner, Susan Tatalovich, and Jon Harbor. —Douglas G. Lantz and Richard H. Hawkins; 128(6), 462-3 (2002).

Howard, Charles D. D.
Sustainable Development — Risk and Uncertainty. —Charles D. D. Howard; 128(5), 309-11 (2002).

Howitt, Richard E.
Southern California Water Markets: Potential and Limitations. — Brad D. Newlin, Marion W. Jenkins, Jay R. Lund, and Richard E. Howitt; 128(1), 21-32 (2002).

Hsiao, Chin-Tsai
Dynamic Optimal Groundwater Management with Inclusion of Fixed Costs. —Chin-Tsai Hsiao and Liang-Cheng Chang; 128(1), 57-65 (2002).

Hsu, Nien-Sheng
Network Flow Optimization Model for Basin-Scale Water Supply Planning. —Nien-Sheng Hsu and Ker-Wei Cheng; 128(2), 102-12 (2002).

Huppert, Daniel
Economic Value of Long-Lead Streamflow Forecasts for Columbia River Hydropower. —Alan F. Hamlet, Daniel Huppert, and Dennis P. Lettenmaier; 128(2), 91-101 (2002).

Jenkins, Marion W.
Southern California Water Markets: Potential and Limitations. — Brad D. Newlin, Marion W. Jenkins, Jay R. Lund, and Richard E. Howitt; 128(1), 21-32 (2002).

Jirka, Gerhard H.
Boundary Schematization in Regulatory Mixing Zone Analysis. —Robert L. Doneker and Gerhard H. Jirka; 128(1), 46-56 (2002).

Johnson, Michael
Cost-Benefit Analysis of Artificial Recharge in Las Vegas Valley, Nevada. — David J. Donovan, Terry Katzer, Kay Brothers, Erin Cole, and Michael Johnson; 128(5), 356-65 (2002).

Jolma, Ari
Fuzzy Model for Real-Time Reservoir Operation. — Tanja Dubrovin, Ari Jolma, and Esko Turunen; 128(1), 66-73 (2002).

Jonoski, Andreja
Groundwater Remediation Strategy Using Global Optimization Algorithms. — Shreedhar Maskey, Andreja Jonoski, and Dimitri P. Solomatine; 128(6), 431-40 (2002).

Kansal, M. L.
Discussion of "Optimal Operation of Water Distribution Pumps Considering Water Quality" by A. Burcu Altan Sakarya and Larry W. Mays. — M. L. Kansal and Geeta Arora; 128(4), 307 (2002).

Karney, Bryan W.
Closure to "Velocity Profiles and Unsteady Pipe Friction in Transient Flow," by Bruno Brunone, Bryan W. Karney, Michele Mecarelli, and Marco Ferrante July/August 2000, Vol. 126, No. 4, pp. 236–244. —Bruno Brunone, Bryan W. Karney, Michele Mecarelli, and Marco Ferrante; 128(1), 86 (2002).
Energy and Costs of Leaky Pipes: Toward Comprehensive Picture. —Andrew F. Colombo and Bryan W. Karney; 128(6), 441-50 (2002).

Katzer, Terry
Cost-Benefit Analysis of Artificial Recharge in Las Vegas Valley, Nevada. —David J. Donovan, Terry Katzer, Kay Brothers, Erin Cole, and Michael Johnson; 128(5), 356-65 (2002).

Kelly, Katherine
Averting a California Water Crisis. —Francis Chung, Katherine Kelly, and Kamyar Guivetchi; 128(4), 237-9 (2002).

Kirshen, Paul H.
Potential Impacts of Global Warming on Groundwater in Eastern Massachusetts. —Paul H. Kirshen; 128(3), 216-26 (2002).

Labadie, John W.
Multicriteria Siting and Sizing of Desalination Facilities with Geographic Information System. —Mohamed Rami Mahmoud, Hussam Fahmy, and John W. Labadie; 128(2), 113-20 (2002).
Spatial Decision Support System for Integrated River Basin Flood Control. —Kyu-Cheoul Shim, Darrell G. Fontane, and John W. Labadie; 128(3), 190-201 (2002).

Lansey, Kevin E.
Determining Pipe Groupings for Water Distribution Networks. —Keshaw N. Mallick, Iftekhar Ahmed, Kevin S. Tickle, and Kevin E. Lansey; 128(2), 130-9 (2002).
Reliability/Availability Analysis of Municipal Water Distribution Networks: Case Studies. —Debbie S. Shinstine, Iftekhar Ahmed, and Kevin E. Lansey; 128(2), 140-51 (2002).

Lantz, Douglas G.
Discussion of "Long-Term Hydrologic Impact of Urbanization: A Tale of Two Models" by Budhendra Bhaduri, Marie Minner, Susan Tatalovich, and Jon Harbor. —Douglas G. Lantz and Richard H. Hawkins; 128(6), 462-3 (2002).

Leopardi, Angelo
Two-Dimensional Modeling of Floods to Map Risk-Prone Areas. — Angelo Leopardi, Elisa Oliveri, and Massimo Greco; 128(3), 168-78 (2002).

Lettenmaier, Dennis P.
Economic Value of Long-Lead Streamflow Forecasts for Columbia River Hydropower. — Alan F. Hamlet, Daniel Huppert, and Dennis P. Lettenmaier; 128(2), 91-101 (2002).

Linker, Lewis
Nutrient and Solids Controls in Virginia's Chesapeake Bay Tributaries. — Carl F. Cerco, Lewis Linker, Jeffrey Sweeney, Gary Shenk, and Arthur J. Butt; 128(3), 179-89 (2002).

Liu, Yong
Efficient Multiscale Methods for Optimal In Situ Bioremediation Design. — Yong Liu and Barbara S. Minsker; 128(3), 227-36 (2002).

Loáiciga, Hugo A.
Reservoir Design and Operation with Variable Lake Hydrology. — Hugo A. Loáiciga; 128(6), 399-405 (2002).

Loganathan, G. V.
Threshold Break Rate for Pipeline Replacement in Water Distribution Systems. —G. V. Loganathan, S. Park, and H. D. Sherali; 128(4), 271-9 (2002).

Lukas, Andrew B.
Expert System for Prioritizing the Inspection of Sewers: Knowledge Base Formulation and Evaiuation. — Margaret A. Hahn, Richard N. Palmer, M. Steve Merrill, and Andrew B. Lukas; 128(2), 121-9 (2002).

Lund, Jay R.
Southern California Water Markets: Potential and Limitations. — Brad D. Newlin, Marion W. Jenkins, Jay R. Lund, and Richard E. Howitt; 128(1), 21-32 (2002).
Floodplain Planning with Risk-Based Optimization. — Jay R. Lund; 128(3), 202-7 (2002).

Mahmoud, Mohamed Rami
Multicriteria Siting and Sizing of Desalination Facilities with Geographic Information System. —Mohamed Rami Mahmoud, Hussam Fahmy, and John W. Labadie; 128(2), 113-20 (2002).

Mallick, Keshaw N.
Determining Pipe Groupings for Water Distribution Networks. —Keshaw N. Mallick, Iftekhar Ahmed, Kevin S. Tickle, and Kevin E. Lansey; 128(2), 130-9 (2002).

Maskey, Shreedhar
Groundwater Remediation Strategy Using Global Optimization Algorithms. —Shreedhar Maskey, Andreja Jonoski, and Dimitri P. Solomatine; 128(6), 431-40 (2002).

Mecarelli, Michele
Closure to "Velocity Profiles and Unsteady Pipe Friction in Transient Flow," by Bruno Brunone, Bryan W. Karney, Michele Mecarelli, and Marco Ferrante July/August 2000, Vol. 126, No. 4, pp. 236–244. —Bruno Brunone, Bryan W. Karney, Michele Mecarelli, and Marco Ferrante; 128(1), 86 (2002).

Merrill, M. Steve
Expert System for Prioritizing the Inspection of Sewers: Knowledge Base Formulation and Evaluation. — Margaret A. Hahn, Richard N. Palmer, M. Steve Merrill, and Andrew B. Lukas; 128(2), 121-9 (2002).

Milot, Julie
Contribution of Neural Networks for Modeling Trihalomethanes Occurrence in Drinking Water. — Julie Milot, Manuel J. Rodriguez, and Jean B. Sérodes; 128(5), 370-6 (2002).

Minner, Marie
Closure to "Long-Term Hydrologic Impact of Urbanization: A Tale of Two Models" by Budhendra Bhaduri, Marie Minner, Susan Tatalovich, and Jon Harbor. — Budhendra Bhaduri, Marie Minner, Susan Tatalovich Coyle, and Jon Harbor; 128(6), 463-4 (2002).

Minocha, Vijay K.
Discussion of "Comparison of ANNs and Empirical Approaches for Predicting Watershed Runoff" by Jagadeesh Anmala, Bin Zhang, and Rao S. Govindaraju. — Vijay K. Minocha; 128(5), 379-81 (2002).

Minsker, Barbara S.
Efficient Multiscale Methods for Optimal In Situ Bioremediation Design. —Yong Liu and Barbara S. Minsker; 128(3), 227-36 (2002).

Montaseri, Majid
Effects of Integrated Planning on Capacity-Yield-Performance Functions. —Majid Montaseri and Adebayo J. Adeloye; 128(6), 456-61 (2002).

Naperala, Troy R.
Case Study of Impact of Total Maximum Daily Load Allocations on Nitrate Leaching. —Teresa B. Culver, Troy R. Naperala, Andrew L. Potts, Harry X. Zhang, Kathryn A. Neeley, and Shaw L. Yu; 128(4), 262-70 (2002).

Neeley, Kathryn A.
Case Study of Impact of Total Maximum Daily Load Allocations on Nitrate Leaching. —Teresa B. Culver, Troy R. Naperala, Andrew L. Potts, Harry X. Zhang, Kathryn A. Neeley, and Shaw L. Yu; 128(4), 262-70 (2002).

Newlin, Brad D.
Southern California Water Markets: Potential and Limitations. — Brad D. Newlin, Marion W. Jenkins, Jay R. Lund, and Richard E. Howitt; 128(1), 21-32 (2002).

Nix, Stephan J.
Hydrologic Regionalization of Watersheds. I: Methodology Development. —Shih-Min Chiang, Ting-Kuei Tsay, and Stephan J. Nix; 128(1), 3-11 (2002).
Hydrologic Regionalization of Watersheds. II: Applications. — Shih-Min Chiang, Ting-Kuei Tsay, and Stephan J. Nix; 128(1), 12-20 (2002).

Oliveri, Elisa
Two-Dimensional Modeling of Floods to Map Risk-Prone Areas. —Angelo Leopardi, Elisa Oliveri, and Massimo Greco; 128(3), 168-78 (2002).

Palmer, Richard N.
Expert System for Prioritizing the Inspection of Sewers: Knowledge Base Formulation and Evaluation. — Margaret A. Hahn, Richard N. Palmer, M. Steve Merrill, and Andrew B. Lukas; 128(2), 121-9 (2002).

Paravan, D.
Enhanced Artificial Neural Network Inflow Forecasting Algorithm for Run-of-River Hydropower Plants. — T. Stokelj, D. Paravan, and R. Golob; 128(6), 415-23 (2002).

Park, S.
Threshold Break Rate for Pipeline Replacement in Water Distribution Systems. — G. V. Loganathan, S. Park, and H. D. Sherali; 128(4), 271-9 (2002).

Persoons, E.
Comparison of Fuzzy and Nonfuzzy Optimal Reservoir Operating Policies. — A. Tilmant, M. Vanclooster, L. Duckstein, and E. Persoons; 128(6), 390-8 (2002).

Pezzinga, Giuseppe
Discussion of "Velocity Profiles and Unsteady Pipe Friction in Transient Flow," by Bruno Brunone, Bryan W. Karney, Michele Mecarelli, and Marco Ferrante. — Giuseppe Pezzinga; 128(1), 85 (2002).

Piasecki, Michael
Optimization of Multiple Freshwater Diversions in Well-Mixed Estuaries. —Michael Piasecki and Brett F. Sanders; 128(1), 74-84 (2002).

Potts, Andrew L.
Case Study of Impact of Total Maximum Daily Load Allocations on Nitrate Leaching. —Teresa B. Culver, Troy R. Naperala, Andrew L. Potts, Harry X. Zhang, Kathryn A. Neeley, and Shaw L. Yu; 128(4), 262-70 (2002).

Rodriguez, Manuel J.
Contribution of Neural Networks for Modeling Trihalomethanes Occurrence in Drinking Water. —Julie Milot, Manuel J. Rodriguez, and Jean B. Sérodes; 128(5), 370-6 (2002).

Rossman, Lewis A.
Facility Location Model for Booster Disinfection of Water Supply Networks. —Michael E. Tryby, Dominic L. Boccelli, James G. Uber, and Lewis A. Rossman; 128(5), 322-33 (2002).

Sanders, Brett F.
Optimization of Multiple Freshwater Diversions in Well-Mixed Estuaries. —Michael Piasecki and Brett F. Sanders; 128(1), 74-84 (2002).

Selvakumar, Ari
Cost Models for Water Supply Distribution Systems. — Robert M. Clark, Mano Sivaganesan, Ari Selvakumar, and Virendra Sethi; 128(5), 312-21 (2002).

Selvakumar, Ariamalar
Costs for Water Supply Distribution System Rehabilitation. — Ariamalar Selvakumar, Robert M. Clark, and Mano Sivaganesan; 128(4), 303-6 (2002).

Sérodes, Jean B.
Contribution of Neural Networks for Modeling Trihalomethanes Occurrence in Drinking Water. —Julie Milot, Manuel J. Rodriguez, and Jean B. Sérodes; 128(5), 370-6 (2002).

Sethi, Virendra
Cost Models for Water Supply Distribution Systems. — Robert M. Clark, Mano Sivaganesan, Ari Selvakumar, and Virendra Sethi; 128(5), 312-21 (2002).

Shenk, Gary
Nutrient and Solids Controls in Virginia's Chesapeake Bay Tributaries. — Carl F. Cerco, Lewis Linker, Jeffrey Sweeney, Gary Shenk, and Arthur J. Butt; 128(3), 179-89 (2002).

Sherali, H. D.
Threshold Break Rate for Pipeline Replacement in Water Distribution Systems. — G. V. Loganathan, S. Park, and H. D. Sherali; 128(4), 271-9 (2002).

Shim, Kyu-Cheoul
Spatial Decision Support System for Integrated River Basin Flood Control. — Kyu-Cheoul Shim, Darrell G. Fontane, and John W. Labadie; 128(3), 190-201 (2002).

Shinstine, Debbie S.
Reliability/Availability Analysis of Municipal Water Distribution Networks: Case Studies. — Debbie S. Shinstine, Iftekhar Ahmed, and Kevin E. Lansey; 128(2), 140-51 (2002).

Sivaganesan, Mano
Predicting Chlorine Residuals in Drinking Water: Second Order Model. — Robert M. Clark and Mano Sivaganesan; 128(2), 152-61 (2002).
Costs for Water Supply Distribution System Rehabilitation. — Ariamalar Selvakumar, Robert M. Clark, and Mano Sivaganesan; 128(4), 303-6 (2002).
Cost Models for Water Supply Distribution Systems. — Robert M. Clark, Mano Sivaganesan, Ari Selvakumar, and Virendra Sethi; 128(5), 312-21 (2002).

Solomatine, Dimitri P.
Groundwater Remediation Strategy Using Global Optimization Algorithms. — Shreedhar Maskey, Andreja Jonoski, and Dimitri P. Solomatine; 128(6), 431-40 (2002).

Sonnen, Michael B.
Discussion of "Comparison of ANNs and Empirical Approaches for Predicting Watershed Runoff" by Jagadeesh Anmala, Bin Zhang, and Rao S. Govindaraju. — Michael B. Sonnen; 128(5), 377-9 (2002).

Srivastava, D. K.
Multireservoir Multiyield Model with Allowable Deficit in Annual Yield. — P. D. Dahe and D. K. Srivastava; 128(6), 406-14 (2002).

Stokelj, T.
Enhanced Artificial Neural Network Inflow Forecasting Algorithm for Run-of-River Hydropower Plants. — T. Stokelj, D. Paravan, and R. Golob; 128(6), 415-23 (2002).

Sweeney, Jeffrey
Nutrient and Solids Controls in Virginia's Chesapeake Bay Tributaries. — Carl F. Cerco, Lewis Linker, Jeffrey Sweeney, Gary Shenk, and Arthur J. Butt; 128(3), 179-89 (2002).

Tatalovich Coyle, Susan
Closure to "Long-Term Hydrologic Impact of Urbanization: A Tale of Two Models" by Budhendra Bhaduri, Marie Minner, Susan Tatalovich, and Jon Harbor. — Budhendra Bhaduri, Marie Minner, Susan Tatalovich Coyle, and Jon Harbor; 128(6), 463-4 (2002).

Tickle, Kevin S.
Determining Pipe Groupings for Water Distribution Networks. — Keshaw N. Mallick, Iftekhar Ahmed, Kevin S. Tickle, and Kevin E. Lansey; 128(2), 130-9 (2002).

Tilmant, A.
Comparison of Fuzzy and Nonfuzzy Optimal Reservoir Operating Policies. — A. Tilmant, M. Vanclooster, L. Duckstein, and E. Persoons; 128(6), 390-8 (2002).

Tokgoz, Mehmet
Optimal Aquifer Dewatering Schemes for Excavation of Collector Line. — Mehmet Tokgoz, Koray K. Yilmaz, and Hasan Yazicigil; 128(4), 248-61 (2002).

Tryby, Michael E.
Facility Location Model for Booster Disinfection of Water Supply Networks. — Michael E. Tryby, Dominic L. Boccelli, James G. Uber, and Lewis A. Rossman; 128(5), 322-33 (2002).

Tsay, Ting-Kuei
Hydrologic Regionalization of Watersheds. I: Methodology Development. — Shih-Min Chiang, Ting-Kuei Tsay, and Stephan J. Nix; 128(1), 3-11 (2002).
Hydrologic Regionalization of Watersheds. II: Applications. — Shih-Min Chiang, Ting-Kuei Tsay, and Stephan J. Nix; 128(1), 12-20 (2002).

Turunen, Esko
Fuzzy Model for Real-Time Reservoir Operation. — Tanja Dubrovin, Ari Jolma, and Esko Turunen; 128(1), 66-73 (2002).

Tzatchkov, Velitchko G.
Advection-Dispersion-Reaction Modeling in Water Distribution Networks. — Velitchko G. Tzatchkov, Alvaro A. Aldama, and Felipe I. Arreguin; 128(5), 334-42 (2002).

Uber, James G.
Facility Location Model for Booster Disinfection of Water Supply Networks. — Michael E. Tryby, Dominic L. Boccelli, James G. Uber, and Lewis A. Rossman; 128(5), 322-33 (2002).

Urbonas, Ben
Runoff Capture and Delivery Curves for Storm-Water Quality Control Designs. — James C. Y. Guo and Ben Urbonas; 128(3), 208-15 (2002).

Vanclooster, M.
Comparison of Fuzzy and Nonfuzzy Optimal Reservoir Operating Policies. — A. Tilmant, M. Vanclooster, L. Duckstein, and E. Persoons; 128(6), 390-8 (2002).

Wang, Yu-Chi
Uncertainty Analysis of Regional Flow Duration Curves. — Pao-Shan Yu, Tao-Chang Yang, and Yu-Chi Wang; 128(6), 424-30 (2002).

Wind, H. G.
Rapid Assessment of Water Systems based on Internal Consistency. — J. L. de Kok and H. G. Wind; 128(4), 240-7 (2002).

Wong, Hugh S.
Uncertainty Analysis in Contaminated Aquifer Management. — Hugh S. Wong and William W-G. Yeh; 128(1), 33-45 (2002).

Yang, Tao-Chang
Uncertainty Analysis of Regional Flow Duration Curves. — Pao-Shan Yu, Tao-Chang Yang, and Yu-Chi Wang; 128(6), 424-30 (2002).

Yazicigil, Hasan
Optimal Aquifer Dewatering Schemes for Excavation of Collector Line. — Mehmet Tokgoz, Koray K. Yilmaz, and Hasan Yazicigil; 128(4), 248-61 (2002).

Yeh, William W-G.
Uncertainty Analysis in Contaminated Aquifer Management. — Hugh S. Wong and William W-G. Yeh; 128(1), 33-45 (2002).

Yilmaz, Koray K.
Optimal Aquifer Dewatering Schemes for Excavation of Collector Line. — Mehmet Tokgoz, Koray K. Yilmaz, and Hasan Yazicigil; 128(4), 248-61 (2002).

Yu, Pao-Shan
Uncertainty Analysis of Regional Flow Duration Curves. — Pao-Shan Yu, Tao-Chang Yang, and Yu-Chi Wang; 128(6), 424-30 (2002).

Yu, Shaw L.
Case Study of Impact of Total Maximum Daily Load Allocations on Nitrate Leaching. — Teresa B. Culver, Troy R. Naperala, Andrew L. Potts, Harry X. Zhang, Kathryn A. Neeley, and Shaw L. Yu; 128(4), 262-70 (2002).

Zhang, B.
Closure to "Comparison of ANNs and Empirical Approaches for Predicting Watershed Runoff" by Jagadeesh Anmala, Bin Zhang, and Rao S. Govindaraju. — J. Anmala, B. Zhang, and R. S. Govindaraju; 128(5), 381-2 (2002).

Zhang, Harry X.
Case Study of Impact of Total Maximum Daily Load Allocations on Nitrate Leaching. — Teresa B. Culver, Troy R. Naperala, Andrew L. Potts, Harry X. Zhang, Kathryn A. Neeley, and Shaw L. Yu; 128(4), 262-70 (2002).